

METRIC		Top Notch	Top Notch 9	Top Notch 7	Top Notch 1S	Top Notch FR	Top Gun	Top Gun 9	Top Gun 1S	Top Gun FR	Top Gun FR Lite	Top Gun Vision	Odyssey	Odyssey FR	Odyssey Open	Softouch	Softouch SD
Width	meters	1.524	1.524	1.524	1.524	1.524	1.575 & 2 meter*	1.575	1.524	1.575	1.575	1.575 & 2 meter	1.626	1.626	1.626	1.524	1.524
Roll Size	meters	45.72	45.72	45.72	45.72	45.72	45.72	45.72	45.72	41.01	45.72	45.72	68.36	91.14	91.14	45.72	45.72
Weight	grams/m ²	389.92	305.15	237.3	254.29	389.92	389.92	305.15	305.15	440.77	271.25	373.0	220.39	245.82	194.96	423.82	423.8
Tensile Tear	Newton; Warp x Fill	2,224+ x 2,046	2,224+ x 1,334	1,557 x 1,334	1,423 x 1,134	2,224+ x 1,068	2,2243+ x 1,726	1,601 x 1,112	2,135 x 1,512	2,215 x 1,690	1,223 x 890	1,134 x 667	1,321 x 979	1,334 x 1,068	1,334 x 956	1,548 x 988	1,637 x 1,192
Tongue Tear	Newton; Warp x Fill	205 x 169	133 x 98	155.7 x 120.1 27	129 x 111	107 x 62	178 x 142	133 x 129	169 x 133	111 x 80	53 x 44	151.2 x 66.7	98 x 89	53 x 53	64 x 53	160 x 133	271.3 x 240.2
Spray Rating		100	100	100	100	90+	90+	90+	90+	90+	90+	n/a	90+	90+	80	90+	100
3 Drop	cm	36	40	36	82	90	76	71	76	70	60	n/a	51	21	n/a	84	84
Warranty	years	5	5	5	5	5	5	4	5	5	5	5	3	3	3	3	3
Breathability	g/m ² /24 hour	645	700	625	260	170	116	100	180	92	78	631	87	86	890	90	96
Shrinkage	%; Warp x Fill	0 x 0	0 x 0	0 x 0	<1 x 0	0 x 0	0 x <1	0 x 0	0 x 0	0 x <1	<1 x <1	0 x 0	0 x <1	0 x <1	<1 x <1.25	<1 x <1	0 x 0
Stretch	%; Warp x Fill	<1 x <1	<1 x <1	<1 x <1	<1 x <1.5	<1 x <1	<1 x <1	<1 x <1	<1 x <1	<1 x <1	<1 x <1	2.5 x 2.5	<1 x <1	<1 X <1.25	<1 x <1.5	<1 x <1	<1 x <1
Taber Abrasion	Cycles till breakthrough	600+	600+	450	1,600+	2,000+	16,000+	10,000+	10,000+	16,000+	2,900+	16,000+	2,900+	2,900+	900+	13,000+	13,000+
Roll Diameter	cm	19.05	17.78	16.5	15.24	17.78	17.78	15.24	15.24	17.145	14.6	17.78	16.51	18.415	18.415	31.75	31.75
Approx. Weight of Roll	kilograms	28.123	21.3/28.12	17.2	18.144	29.030	29.03/37.2	21.319	21.319	29.483	19.05	27.7/35.4	25.401	36.741	29.030	30.391	30.4
8" for 10 min	mls	0	0	0	0	0	0	0	0	0	0	n/a	0	0	n/a	0	0
Denier of base fabric		840	600	600	600	600	600	450	600	600	300	600	300	300	300	n/a	n/a

*Select colors